

# chimney inspection camera

## General information about duct chimney inspection camera drain duct camera inspection system **AD-P2015RE**

- ✓ Video Inspection Camera for Pipe, Duct, Sewer, Drain, Plumbing FLX-108RE
- ✓ For dia 25mm to 150mm(1"- 6") pipelines
- ✓ ø23mm stainless steel color camera head
- ✓ 12pcs adjustable LED
- ✓ Reel with 30m of 5.2mm dia Push Rod
- ✓ 7" LCD screen with sunshade, DVR supports voice recording, video recording, taking picture by any SD card (8GB SD card Included)
- ✓ Includes 3 skids: 40mm; 80mm;120mm



## Technical specification of the device:

### 23mm camera head(removable):

- Total Pixels: PAL:710X576; NTSC:720X480
- Camera size: Ø23mmX(L)118mm
- View angle: 120°
- Sensor size: 1/4 CMOS 420TVL
- Camera shell material: stainless steel
- Camera glass material:sapphire glass

### LED Lights(adjustable):

- LED Lights:12LEDS
- Brightness of the LEDS:Controllable

### 8inch screen:

- Size of the screen:8 LCD Monitor
- 4:3 model
- Total Pixels:800X600
- Monitor power supply:DC 12V
- OSD language: English
- Remote controller
- Sunshade include

### Control box:

- Video format: AVI
- Picture format: MPEG2
- Memory card: 8G(Maximum 64G)
- Audio, video, photo recording & playback function
- Digital clock and calendar
- Battery level indicator lights
- LED brightness adjustable:
- On / off microphone
- Up, down, left, right adjustable
- Video output to another screen

### Cable reel:

- Length: 20m standard cable; 20-40m(optional)
- Diameter: 5.2mm
- Reel size: L51xW25xH64cm



**Centering skid:**

- Dia 40mm/80mm: make the camera in the center of the pipe, and protect the camera head

**Power supply:**

- Li-ion Battery:DC12V 6600mah
- Working time: In operation(LED on): 6 hours

**Case:**

- Material: engineering plastics
- Color optional:orange/black
- The total weight includes all components12KG-52X45X21cm

